


**FRONT SUSPENSION**



F200

Year	Model/Application	Part	P/C Qty	Figure
<b>Ball Joint</b>				
2017-2013	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500315 ‡	2
2012-2008	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500128 ‡	2
	(Design Allows Ease Of Installation)	Lower	K500289 ‡	2
2012-2006	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K90492 ‡	2
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80199 ‡	2
	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80228 ‡	2
<b>Ball Joint Bushing Extractor and Installer</b>				
2017-2005	(Fits Most Popular C-Clamp Style Ball Joint Press Tools, 3 Piece Adapter Set Designed To Easily Remove And Install Ball Joints)		T80541 ‡	1
2007-2005	1-5/8", (Adjustable Ball Joint Adjusting Wrench)		T40268	1
<b>Control Arm</b>				
2017-2013	CVT Automatic Transaxle, 6 Speed Automatic Transaxle, (R-Series)	Left Lower	RK642517	1
	CVT Automatic Transaxle, 6 Speed Automatic Transaxle, (R-Series)	Right Lower	RK642509	1
2012-2008	(Contains Bushings, R-Series)	Left Lower	RK641112	1
	(Contains Bushings, R-Series)	Right Lower	RK641113	1
2007-2005	(R-Series)	Left Lower	RK640290	1
	(R-Series)	Right Lower	RK640289	1
<b>Control Arm Bushing</b>				
2012-2008	(Vertical Mount)	Lower Front Inner	K201639	2
2012-2005	(Horizontal Mount)	Lower Outer	K200014	2
		Lower Rear Inner	K200078	2
2007-2005	(Contains Front And Rear Bushings)	Upper	K200239 ‡	2
	(High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200238 ‡	2
<b>Control Arm with Ball Joint</b>				
2012-2008	(R-Series)	Left Upper	RK620614	1
	(R-Series)	Right Upper	RK620615	1
2007-2005	(R-Series)	Left Upper	RK620617	1
	(R-Series)	Right Upper	RK620616	1
<b>Complete Knuckle Assembly</b>				
2016	2354cc(2.4L), (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Ball Joint Assembly, Deflector And Axle Nut)	Left	LK017 ‡	1
	2354cc(2.4L), (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Ball Joint Assembly, Deflector And Axle Nut)	Right	LK018 ‡	1
2015-2013	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Ball Joint Assembly, Deflector And Axle Nut)	Left	LK017 ‡	1
	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Ball Joint Assembly, Deflector And Axle Nut)	Right	LK018 ‡	1
<b>Strut and Spring Assembly</b>				
2007-2005		Left	ST8632L	1
		Right	ST8632R	1
<b>Strut Bumper Bellows</b>				
2017-2013	(Replacement Type, Contains Bumper)		K90460	2
2012-2005	(Contains Bumper)		K90467	2



FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
<b>Strut Mount</b>					
2017-2013	(Contains Bearing)	K160437	2		
2007-2005	(Mount Base With Spring Seat)	K160223 ‡	2	F200	
<b>Strut Mounting Kit</b>					
2012-2006		Upper K9492	2	F200	
<b>Strut Spring Seat</b>					
2012-2005	(Insulator Only, Reduces Noise)	Lower K160140 ‡	2	F200	
2007-2005	(Insulator Only, Reduces Noise)	Upper K160262 ‡	2	F200	
<b>Sway Bar Bushing</b>					
2017	1993cc(2.0L)	To Frame K201289	1		
2017-2014	2354cc(2.4L), 2 Dr. Coupe	To Frame K201290	1		
2017-2013	2354cc(2.4L), 4 Dr. Sedan 3471cc(3.5L)	To Frame K201288 To Frame K201289	1 1		
2015-2014	1993cc(2.0L)	To Frame K201289	1		
2007-2005	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame K201619 ‡ To Frame K90554	1 1	F200 F200	
<b>Sway Bar Link</b>					
2017-2013	(Improves Upon OE Design) (Improves Upon OE Design)	Left K750651 ‡ Right K750650 ‡	1 1		
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left K90456 ‡ Right K90457 ‡	1 1	F200 F200	
2007-2006	Gasoline, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Gasoline, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K90660 ‡ Right K90661 ‡	1 1	F200 F200	
2007-2005	Gasoline/Electric, (Powdered Metal Gusher Brg. For Better Lubrication) Gasoline/Electric, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K90456 ‡ Right K90457 ‡	1 1	F200 F200	
<b>STEERING</b>					
S133					
Year	Model/Application	Part	P/C Qty	Figure	
<b>Rack &amp; Pinion Boot Kit</b>					
2007-2006	4 Cyl V6 Cyl, EX-V6, LX-V6, SE-V6	K150281 K150292	2 2	S133 S133	
<b>Tie Rod End</b>					
2017	1993cc(2.0L) 3471cc(3.5L), (Design Allows Ease Of Installation)	Inner EV801120 Inner EV800896 ‡	2 2		
2017-2013	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) 2354cc(2.4L), (Design Allows Ease Of Installation)	Left Outer ES801001 ‡ Right Outer ES801000 ‡ Inner EV800896 ‡	1 1 2		
2016-2013	3471cc(3.5L)	Inner EV801120	2		
2015-2013	1993cc(2.0L)	Inner EV801120	2		
2013	1993cc(2.0L), (Design Allows Ease Of Installation)	Inner EV800896 ‡	2		
2012-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer ES800460 ‡ Right Outer ES800459 ‡ Inner EV800461 ‡	1 1 2	S133 S133 S133	
2007-2006	4 Cyl, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) V6 Cyl, EX-V6, LX-V6, SE-V6, 4 Dr. Sedan, Automatic Transaxle, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) V6 Cyl, Hybrid, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV80210 ‡ Inner EV80208 ‡ Inner EV800649 ‡	2 2 2	S133 S133 S133	

# HONDA-Accord (Cont.)

## STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
<b>Tie Rod End</b>				
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer	ES80288 ‡ ES80287 ‡	1 1 S133 S133

## REAR SUSPENSION



Year	Model/Application	Part	P/C Qty	Figure
<b>Control Arm</b>				
2017-2008	(Non-Adjustable, R-Series) Plus Or Minus 1 Degree Camber, (Adjustable, R-Series) Plus Or Minus 1 Degree Toe, (Adjustable, R-Series)	Lower Rear Lower Rear Upper Front	RK642947 RK100110 RK100209	2 2 2 R064 R064 R064
2012-2008	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Front Lower Right Front Lower	RK641747 RK641748	1 1 R064 R064
2007-2006	Base Model, DX-G, EX, EX-L, EX-V6, LX, LX-V6, SE, SE-V6, (Lateral Link, Non Adjustable, R-Series) Base Model, DX-G, EX, EX-L, EX-V6, LX, LX-V6, SE, SE-V6, (Lateral Link, R-Series)	Lower Rear Lower Front	RK640259 RK640239	2 2 R004 R004
2007-2005	(R-Series) Minus 1-1/2 To Plus 3 Degrees Camber/Toe, (Contains Front And Rear Arms, R-Series, Optional)	Upper Rear Lower	RK641805 RK641861	2 2 R004 R004
<b>Control Arm Bushing</b>				
2007-2005	(High Quality Elastomer For Durability And Performance)	Upper Front	K200240 ‡	2 R004
<b>Control Arm with Ball Joint</b>				
2012-2008	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK621305 RK621306	1 1 R064 R064
2007-2006	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series) Minus 2 To Plus 4 Degrees Camber, (Adjustable, Non-Greaseable, R-Series) EX-V6, LX-V6, (Non-Adjustable, R-Series)	Upper Front Upper Front Upper Front	RK100106 RK621873 RK642310	2 2 2 R004 R004 R004
<b>Shock Mount Bushing</b>				
2007-2005	Hybrid	Lower	K80935	2 R004

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
<b>Strut and Spring Assembly</b>					
2007-2006	Gasoline	ST8635	2	R004	
<b>Strut Bumper Bellows</b>					
2017-2013		K201554	2	R064	
2012-2008	(Contains Bumper)	K90467	2	R064	
2007	V6 Cyl, EX-V6, LX-V6, SE-V6, (Replacement Type, Contains Bumper) 2354cc(2.4L), 2 Dr. Coupe, 4 Dr. Sedan, (Contains Bumper) 2997cc(3.0L), 2 Dr. Coupe, (Contains Bumper)	K90466 K90467 K90467	2 2 2	R004 R004 R004	
<b>Strut Bushing</b>					
2007-2006	Base Model, DX-G, EX, EX-L, EX-V6, LX, LX-V6, SE, SE-V6	Lower K9671	2	R004	
<b>Strut Mount</b>					
2012-2011	2 Dr. Coupe, (Contains Spring Seat) 4 Dr. Sedan, (Contains Spring Seat)	K160216 ‡ K160337	2 2	R064 R064	
2010-2008	(Contains Spring Seat)	K160216 ‡	2	R064	
2007-2005	(Contains Spring Seat)	K160216 ‡	2	R004	
<b>Strut Mounting Kit</b>					
2017-2008		Upper K9492	2	R064	
2007-2006		Upper K9492	2	R004	
<b>Strut Spring Seat</b>					
2017-2008	(Insulator Only, Reduces Noise)	Lower K160254 ‡	2	R064	
2012-2011	2 Dr. Coupe, (Insulator Only, Reduces Noise)	Upper K160146 ‡	2	R064	
2010-2008	(Insulator Only, Reduces Noise)	Upper K160146 ‡	2	R064	
2007-2005	(Insulator Only, Reduces Noise) (Insulator Only, Reduces Noise)	Upper K160146 ‡ Lower K160254 ‡	2 2	R004 R004	
<b>Sway Bar Bushing</b>					
2017	1993cc(2.0L) 2354cc(2.4L), 2 Dr. Coupe 3471cc(3.5L), 2 Dr. Coupe	To Frame To Frame To Frame	K201651 K201651 K201651	1 1 1	R064 R064 R064
2017-2013	2354cc(2.4L), 4 Dr. Sedan 3471cc(3.5L), 4 Dr. Sedan	To Frame To Frame	K201273 K201274	1 1	R064 R064
2016	2 Dr. Coupe	To Frame	K201651	1	R064
2015-2014	1993cc(2.0L) 2354cc(2.4L), 2 Dr. Coupe 3471cc(3.5L), 2 Dr. Coupe	To Frame To Frame To Frame	K201651 K201651 K201651	1 1 1	R064 R064 R064
2012-2008	2 Dr. Coupe 2354cc(2.4L), 4 Dr. Sedan 3471cc(3.5L), 4 Dr. Sedan	To Frame To Frame To Frame	K201274 K201296 K201273	1 1 1	R064 R064 R064
2007-2005	(Design Allows Ease Of Installation)	To Frame	K200902 ‡	1	R004
<b>Sway Bar Link</b>					
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750152 ‡ K750153 ‡	1 1	R064 R064
2007-2006	(Superior Strength And Resistance To Socket Separation) (Superior Strength And Resistance To Socket Separation)	Left Right	K90343 ‡ K90342 ‡	1 1	R004 R004
<b>Trailing Link</b>					
2017-2013	(R-Series)		RK642941	2	R064
2007-2005	Front Disc, Rear Disc, (R-Series) Front Disc, Rear Disc, (R-Series) Front Disc, Rear Drum, (R-Series) Front Disc, Rear Drum, (R-Series)	Left Right Left Right	RK642115 RK642051 RK642114 RK642113	1 1 1 1	R004 R004 R004 R004
<b>Trailing Link Bushing</b>					
2007-2005	(High Quality Elastomer For Durability And Performance)	To Frame	K200241 ‡	2	R004
<b>Wheel Hub &amp; Bearing Assembly</b>					
2016			512544	2	
2015-2014	Gasoline Gasoline/Electric		512544 512516	2 2	
2013			512544	2	
2012-2008			512353	2	
2007-2006	Gasoline		512188	2	
2007-2005	Gasoline/Electric		512327	2	